

	PRODUCT	DESCRIPTION	PRICE EACH £ (GBP)
 	KDMON	Remote system monitor. Monitors 4-20mA, -30V to +30V, RS232/485 bus activity. Alarm notifications sent via SMS, email or fax. DIN-rail mounting.	195.00 (1+) 185.25 (25+)
	KDMON-NR	As KDMON, no relay output.	185.00 (1+) 175.75 (25+)
	MODEM-001	Cinterion MC55i modem. Required for most KDMON applications.	95.00 (1+) 90.25 (25+)
	MODEM-CLIP	35mm DIN-rail clip for Cinterion MC55i modem.	9.50 (1+); 9.00 (25+)
	ANT-001	Delgado L-Quad Antenna for KDMON. Usable in most good signal areas. 2.5m cable.	4.80 (1+); 4.56 (25+)
	ANT-002	Delgado HGMAG Antenna for KDMON. Higher gain, with magnetic base. 2.5m cable.	19.00 (1+) 18.05 (25+)
	ANT-003	Hirschmann-MCA1890 Antenna for KDMON. Outdoor, with bracket. 5m cable.	25.00 (1+) 23.75 (25+)
	KD420	Modbus sensor interface. Converts a 4-20mA or voltage output sensor to a Modbus RTU Slave on RS485. DIN-rail mounting.	149.00 (1+) 141.55 (25+)
	KD485-STD	Isolated Interface Converter, DIN-rail mounting. RS232 to RS422/485. Requires RTS control from RS232 host if RS485 driver control is required.	89.00 (1+) 84.55 (25+)
	KD485-ADE	As -STD, adds a CPU with built-in programs, automatic RS485 driver control (RTS control not required). RS232 to RS422/485.	149.00 (1+) 141.55 (25+)
	KD485-PROG	As -ADE, also user-programmable in ANSI C, RS232 to RS422/485.	195.00 (1+) 185.25 (25+)
	KD485-STD-XXX-XXX	As KD485-STD but with custom interface types e.g. -422-20MA.	109.00 (1+) 89.00 (5+); 84.55 (25+)
	KD485-ADE-XXX-XXX	As KD485-ADE but with custom interface types e.g. -422-20MA.	169.00 (1+) 149.00 (5+); 141.55 (25+)
	KD485-PROG-XXX-XXX	As KD485-PROG but with custom interface types e.g. -422-20MA.	215.00 (1+) 195.00 (5+); 185.25 (25+)
	KD485 C Compiler	PC-based ANSI C cross-compiler for KD485-PROG, H8/300 CPU. Single user license, no runtime royalties.	450.00
KD485 MODBUS Library	MODBUS RTU SLAVE library for KD485-PROG. Speeds up building MODBUS-custom protocol converters.	300.00	
	KDF-232-ST-50	Fibre Modem / Line Driver, DIN-rail mounting RS232 to 50/125 glass fibre, ST fibre connectors.	139.00 (1+) 132.05 (25+)
	KDF-422-ST-50	As above, RS422/485 to 50/125 glass fibre. Can operate in pairs as a 2-wire RS485 repeater over fibre.	149.00 (1+) 141.55 (25+)
	K2	RS232 to RS422/RS485 (2-wire or 4 wire) interface converter. RS232-powered, switch-selectable operating modes. Requires RTS control from RS232 host if RS485 driver control is required. DB9 female connector at both ends. Non isolated.	39.00 (1+) 37.05 (25+)
	K2-TB	As K2 but with a terminal block on RS4XX port.	40.50 (1+) 38.47 (25+)
	K2-ADE	As K2, adds automatic RS485 driver control (RTS control not required). Switch selectable baud rates 1200-38400. Option 01 (no additional cost) replaces 38400 baud with 115200 baud.	59.00 (1+) 56.05 (25+)
	K2-ADE-TB	As K2-ADE but with a terminal block on RS4XX port.	60.50 (1+) 57.47 (25+)

	PRODUCT	DESCRIPTION	PRICE EACH £ (GBP)
	K3	As K2, isolated, 0-38400 baud. Connector for optional external power.	69.00 (1+) 65.55 (25+)
	K3-TB	As K3 but with a terminal block on RS4XX port.	70.50 (1+) 66.97 (25+)
	K3-ADE	As K3, adds automatic RS485 driver control (RTS control not required). Switch selectable baud rates 1200-38400.	89.00 (1+) 84.55 (25+)
	K3-ADE-TB	As K3-ADE but with terminal block on RS4XX port.	90.50 (1+) 85.97 (25+)
	K3-232	RS232-RS232 isolator. 0-38400 baud. Requires power from one RS232 port only (or external).	69.00 (1+) 65.55 (25+)
	K3-232-TB	As K3-232 but with a terminal block on second RS232 port.	70.50 (1+) 66.97 (25+)
	PSU-UK-01	Optional UK (230V) power unit for K3 range.	10.00 (1+)
	PSU-EUR-01	Optional European (230V) power unit for K3 range.	10.00 (1+)
		USB-232	USB-RS232 converter. Supplied driver creates a virtual COM port, for all win32 applications. Drivers included (CD) for win98, win2000, winXP, Vista and win7. DB9 male RS232 connector, PC-compatible pinouts. Uses Prolific chipset/drivers.
	USB-485	Isolated USB-RS422/RS485 converter. Supplied driver creates a virtual COM port, for all win32 applications. Drivers included (CD) for win98, win2000, winXP, Vista and win7. DB9 female RS422/485 connector. Uses FTDI chipset/drivers.	49.00 (1+) 46.55 (25+)
	PPC-4-H2-C	Programmable Protocol Converter; 4-port boxed model. Includes KTERM PC terminal emulator and other software on CD, manual, PPC-PC cable and mains PSU. Four 232 ports (convertible to RS4XX). H2 option is standard.	450.00 (1+) 425.00 (10+)
	-R option	Real-time clock. Pascal/C-addressable.	25.00 (1+) 19.00 (10+)
	-H3 option	Higher CPU speed. 1.5x increase over standard unit.	75.00 (1+) 59.00 (10+)
	-96 option	Provides a 96k (98304-byte) random access RAM file.	25.00 (1+) 19.00 (10+)
	PPC-E	As PPC-4, 3U Single Eurocard with 3Ux6HP aluminium front panel, 100x160mm. 4 RS232/422/485 ports. 9-12V DC input. Includes -4, -R, -H2, -C, -96 options.	420.00 (1+) 390.00 (10+)
	PPC C Compiler	PC-based ANSI C cross-compiler, Z180 CPU. Single user licence, no runtime royalties.	450.00
	CAB-003-XLR	Adaptor cable which converts the DB9 RS422/485 connector of the K2-ADE, K3-ADE or USB-485 into a 3-pin XLR connector, as widely used with professional broadcast equipment controlled via 2-wire RS485.	7.50 (1+) 7.12 (25+)
	CAB-030	RS485 adaptor cable which interfaces K2-ADE, K3-ADE, USB-485, KD485-ADE to Emerson/Control Techniques drives.	5.00 (1+) 4.75 (25+)

ORDER METHODS / DELIVERY / EXPORT

All orders must be in writing (email, fax or via our shop at www.kksystems.com).

Delivery is usually ex-stock. Products containing certain options can take several days longer. Please check availability before ordering. The standard delivery charge will be added to all orders and, where delivery is specified by customer to be in several shipments, to each shipment.

We aim to deliver your order as efficiently and cost effectively as possible. Our shippers include Royal Mail (for both UK and International consignments), TNT and DHL. In addition we are able to use customers' courier accounts to arrange collections on their behalf via the major couriers such as TNT, DHL, FedEx and UPS.

Our delivery charges are based on weight. A delivery quote can be obtained within your shopping basket along with all the delivery options available to you for that particular order if you are using the online shop. Quotes can also be obtained over the telephone.

For orders to be delivered via Royal Mail/Airmail we can offer same day dispatch if the order (and payment where necessary) is received by 3.00pm GMT

We have distributors in several countries (see www.kksystems.com for details) and pricing in those countries may vary. We export directly to all other areas, at prices in this list. For under 2kg packages, delivery is by AIRMAIL unless otherwise requested. Larger packages are sent by TNT, UPS or DHL or as specified by customer and quotes will be supplied in advance. An EUR1 form is £25.00.

EC customers: please supply your VAT number otherwise we must add VAT at the prevailing rate.

PAYMENT TERMS

Payment with order except for authorised credit accounts, Government and Educational customers. Authorised credit accounts are 30 (THIRTY) days from end of month of invoice. Prices exclude VAT at prevailing rate and are subject to change without notice. We also accept the cards shown below. All supplies are the property of KK Systems Ltd until full payment has been made.



GUARANTEE

All products are guaranteed for 12 months from date of supply against defects caused by faulty workmanship or materials. Products returned under the guarantee will be repaired or replaced (at our discretion) free of charge. See Conditions of Sale at www.kksystems.com for full details. Products returned for other reasons may be subject to a restocking charge. Software cannot be credited. Customised products/services (e.g. software) or documentation cannot be credited.

SUITABILITY FOR APPLICATION

We make every effort to ensure customers have full product data before a purchase. However, the customer is responsible for ensuring the product is correct for his particular application. Please contact us with application details if in any doubt.



KK SYSTEMS LIMITED
P.O. Box 2770, Brighton
West Sussex, BN45 7ED
United Kingdom

tel +44 (0)1273 857185
fax +44 (0)1273 857186
e-mail info@kksystems.com
www www.kksystems.com

Price List



KK SYSTEMS LTD

high performance datacomms solutions . . .